



# BEARING CORP.OF AMERICA



0.984 Inch | 25 Millimeter x 3.15 Inch | 80  
Millimeter x 0.827 Inch | 21 Millimeter NSK  
7405BMG Angular Contact Ball Bearings

Bearing No. 7405BMG

7405BMG Bearing 2D drawings and 3D CAD models

Category	Angular Contact Ball Bearings
Inventory	0.0
Manufacturer Name	NSK
Minimum Buy Quantity	N/A
Weight	0.52
EAN	0029176036682
Product Group	B00308
Enclosure	Open
Flush Ground	Yes
Rolling Element	Ball Bearing
Number of Rows of Balls	Single Row
Precision Class	ABEC 1   ISO P0
Maximum Capacity / Filling Slot	No
Snap Ring	No
Cage Material	Brass
Contact Angle	40 Degree
Internal Clearance	C0-Medium
Number of Bearings	1 (Single)
Mounting Arrangement	Universal
Inch - Metric	Metric
Long Description	25MM Bore; 80MM Outside Diameter; 21MM Width; Open; Yes Flush Ground; Ball Bearing; Single



## BEARING CORP.OF AMERICA

	Row of Balls; ABEC 1   ISO P0; No Filling Slot; No Snap Ring
Category	Angular Contact Ball Bearing
UNSPSC	31171531
Harmonized Tariff Code	8482.10.50.28
Noun	Bearing
Keyword String	Angular Contact
Manufacturer URL	<a href="http://www.nskamericas.com">http://www.nskamericas.com</a>
Manufacturer Item Number	7405BMG
Weight / LBS	0.52
d	0.984 Inch   25 Millimeter
D	3.15 Inch   80 Millimeter
B	0.827 Inch   21 Millimeter
bore diameter:	25 mm
operating temperature range:	Maximum of +120 ° C
outside diameter:	80 mm
cage material:	Brass
overall width:	21 mm
outer ring width:	21 mm
contact angle:	40 °
maximum rpm:	10500 RPM
row type & fill slot:	Single-Row Non-Fill Slot
finish/coating:	Uncoated
internal clearance:	C0
precision rating:	ABEC 1 (ISO Class Normal)
closure type:	Open
fillet radius:	0.06 in
radial dynamic load capacity:	9700 lb



## BEARING CORP.OF AMERICA

series:	7400
radial static load capacity:	5310 lb