




BEARING CORP.OF AMERICA



NN3014T2KC1NAP4 Bearing 2D drawings and 3D CAD models

2.756 Inch | 70 Millimeter x 4.331 Inch | 110
Millimeter x 1.181 Inch | 30 Millimeter NTN
NN3014T2KC1NAP4 Cylindrical Roller Bearings

Bearing No. NN3014T2KC1NAP4

Category	Cylindrical Roller Bearings
Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight	0.948
EAN	4547359130782
Product Group	B04270
Bore Profile	Tapered
Cage Material	Nylon
Precision Class	ABEC 7 ISO P4
Number of Rows of Rollers	Double Row
Separable	Outer Ring - Both Sides
Rolling Element	Cylindrical Roller Bearing
Profile	Complete with Outer and Inner Ring
Snap Ring	No
Internal Clearance	C1NA
Retainer	Yes
Relubricatable	Yes
Inch - Metric	Metric
Other Features	3 Rib Inner Ring Plain Outer Ring Precision Bearing Cage on Inner Ring OD
Long Description	70MM Bore; Tapered Bore Profile; 110MM Outside



BEARING CORP.OF AMERICA

	Diameter; 30MM Width; Nylon Cage Material; ABEC 7 ISO P4; Double Row; Outer Ring - Both Sides Separable; No Snap Ring; Relubricatable; C1NA Internal C
Category	Cylindrical Roller Bearing
UNSPSC	31171547
Harmonized Tariff Code	8482.50.00.00
Noun	Bearing
Manufacturer URL	http://www.ntnamerica.com
Manufacturer Item Number	NN3014T2KC1NAP4
Weight / LBS	2.095
D	4.331 Inch 110 Millimeter
d	2.756 Inch 70 Millimeter
B	1.181 Inch 30 Millimeter
bore diameter:	70 mm
static load capacity:	143000 N
outside diameter:	110 mm
precision rating:	ISO Class 4
overall width:	30 mm
maximum rpm:	6800 rpm
flanges:	(3) Inner Ring
bearing material:	Hardened Alloy Steel
bore type:	Tapered 1:12
cage material:	Nylon
number of rows:	2
finish/coating:	Uncoated
internal clearance:	C1NA
closure type:	Open
operating temperature range:	-40 to 120 ° C
fillet radius:	1.1 mm



BEARING CORP.OF AMERICA

dynamic load capacity:	94500 N
manufacturer product page:	Click here