




# BEARING CORP.OF AMERICA



3.543 Inch | 90 Millimeter x 5.512 Inch | 140 Millimeter x 1.457 Inch | 37 Millimeter NTN NN3018KC9NAP4 Cylindrical Roller Bearings

Bearing No. NN3018KC9NAP4

NN3018KC9NAP4 Bearing 2D drawings and 3D CAD models

Category	Cylindrical Roller Bearings
Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight	1.997
Product Group	B04270
Bore Profile	Tapered
Cage Material	Brass
Precision Class	ABEC 7   ISO P4
Number of Rows of Rollers	Double Row
Separable	Outer Ring - Both Sides
Rolling Element	Cylindrical Roller Bearing
Profile	Complete with Outer and Inner Ring
Snap Ring	No
Internal Clearance	C9NA
Retainer	Yes
Relubricatable	Yes
Inch - Metric	Metric
Other Features	3 Rib Inner Ring   Plain Outer Ring   Precision Bearing   Cage on Inner Ring OD
Long Description	90MM Bore; Tapered Bore Profile; 140MM Outside Diameter; 37MM Width; Brass Cage Matetrial; ABEC



## BEARING CORP.OF AMERICA

	7   ISO P4; Double Row; Outer Ring - Both Sides Separable; No Snap Ring; Relubricatable; C9NA Internal C
Category	Cylindrical Roller Bearing
UNSPSC	31171547
Harmonized Tariff Code	8482.50.00.00
Noun	Bearing
Manufacturer URL	<a href="http://www.ntnamerica.com">http://www.ntnamerica.com</a>
Manufacturer Item Number	NN3018KC9NAP4
Weight / LBS	4.413
d	3.543 Inch   90 Millimeter
D	5.512 Inch   140 Millimeter
B	1.457 Inch   37 Millimeter
bore diameter:	90 mm
static load capacity:	228000 N
outside diameter:	140 mm
precision rating:	ISO Class 4
overall width:	37 mm
maximum rpm:	5300 rpm
flanges:	(3) Inner Ring
bearing material:	Hardened Alloy Steel
bore type:	Tapered 1:12
cage material:	High Strength, 2 piece, Machined Brass
number of rows:	2
finish/coating:	Uncoated
internal clearance:	C9NA
closure type:	Open
operating temperature range:	-40 to 120 ° C
fillet radius:	1.5 mm



## BEARING CORP.OF AMERICA

dynamic load capacity:	143000 N
manufacturer product page:	<a href="#">Click here</a>