




# BEARING CORP.OF AMERICA



NUP230C2 Bearing 2D drawings and 3D CAD models

5.906 Inch | 150 Millimeter x 10.63 Inch | 270  
Millimeter x 1.772 Inch | 45 Millimeter NTN  
NUP230C2 Cylindrical Roller Bearings

Bearing No. NUP230C2

Category	Cylindrical Roller Bearings
Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight	10.84
EAN	4547359135336
Product Group	B04144
Bore Profile	Straight
Cage Material	Steel
Precision Class	RBEC 1   ISO P0
Number of Rows of Rollers	Single Row
Separable	No
Rolling Element	Cylindrical Roller Bearing
Profile	Complete with Outer and Inner Ring
Snap Ring	No
Internal Clearance	C2-Snug
Retainer	Yes
Relubricatable	Yes
Inch - Metric	Metric
Other Features	1 Rib Inner Ring with Side Plate   2 Rib Outer Ring   Cage On Outer Ring ID
Long Description	150MM Bore; Straight Bore Profile; 270MM Outside Diameter; 45MM Width;



## BEARING CORP.OF AMERICA

	Steel Cage Material; RBEC 1   ISO P0; Single Row; Not Separable; No Snap Ring; Relubricatable; C2-Snug Internal Clearance; Retai
Category	Cylindrical Roller Bearing
UNSPSC	31171547
Harmonized Tariff Code	8482.50.00.00
Noun	Bearing
Manufacturer URL	<a href="http://www.ntnamerica.com">http://www.ntnamerica.com</a>
Manufacturer Item Number	NUP230C2
Weight / LBS	23.868
d	5.906 Inch   150 Millimeter
D	10.63 Inch   270 Millimeter
B	1.772 Inch   45 Millimeter
bore diameter:	150 mm
static load capacity:	435000 N
outside diameter:	270 mm
precision rating:	ISO Class 0
overall width:	45 mm
maximum rpm:	2900 rpm
flanges:	(2) Outer Ring, (2) Inner Ring
bearing material:	Hardened Alloy Steel
bore type:	Straight
cage material:	Pressed Steel
number of rows:	1
finish/coating:	Uncoated
internal clearance:	C2
closure type:	Open
ring separation:	Separable Inner Ring
fillet radius:	3 mm
operating temperature	-40 to 120 ° C



## BEARING CORP.OF AMERICA

range:	
manufacturer product page:	<a href="#">Click here</a>
dynamic load capacity:	345000 N