



BEARING CORP.OF AMERICA



5.906 Inch | 150 Millimeter x 8.858 Inch | 225
 Millimeter x 2.205 Inch | 56 Millimeter SKF 23030
 CCK/C4W33 Spherical Roller Bearings

Bearing No. 23030 CCK/C4W33

23030 CCK/C4W33 Bearing 2D drawings and 3D CAD
 models

Category	Spherical Roller Bearings
Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight	7.517
EAN	7316576655081
Product Group	B04311
Internal Clearance	C4-Extra Loose
Mounting Method	Adapter Mount
Rolling Element	Spherical Roller Bearing
Bore Profile	Tapered
Cage Material	Steel
Enclosure	Open
Number of Rows of Rollers	Double Row
Relubricatable	Yes
Withdrawal Sleeve	AHX3030 (Specify bore)
Withdrawal Nut	KM32
Inch - Metric	Metric
Long Description	150MM Tapered Bore; 225MM Outside Diameter; 56MM Width; C4-Extra Loose Clearance; Adapter Mount; Double Row of Spherical Roller Bearings; Steel Cage Material; Open Enclosure; Relubricatable; Adapter P



BEARING CORP.OF AMERICA

Other Features	Order adapter or withdrawal sleeve or nut separately. Others may be available
Category	Spherical Roller Bearing
UNSPSC	31171510
Harmonized Tariff Code	84823080
Noun	Bearing
Keyword String	Spherical
Manufacturer URL	http://www.skf.com
Weight / LBS	16.572
B	2.205 Inch 56 Millimeter
D	8.858 Inch 225 Millimeter
d	5.906 Inch 150 Millimeter
Adapter Part Number	SNW3030 H3030 HA3030 HE3030 (Specify Bore) Inch H3030 (Specify bore) Millimeter
bore diameter:	150 mm
maximum rpm:	3200 RPM
outside diameter:	225 mm
operating temperature range:	Maximum of +390 ° F
overall width:	56 mm
cage material:	Steel
bore type:	Tapered 1:12
bearing material:	Steel
outer ring type:	Not Split
cage type:	Inner Ring Guided
internal clearance:	C4
precision rating:	Not Rated
closure type:	Open
finish/coating:	Uncoated
lubrication hole type:	Lubrication Groove & Hole



BEARING CORP.OF AMERICA

outer ring width:	56 mm
dynamic load capacity:	510 kN
fillet radius:	2 mm
static load capacity:	750 kN
series:	230