



# BEARING CORP.OF AMERICA



5.512 Inch | 140 Millimeter x 8.268 Inch | 210  
 Millimeter x 2.087 Inch | 53 Millimeter SKF 23028  
 CCK/C3W33 Spherical Roller Bearings

Bearing No. 23028 CCK/C3W33

23028 CCK/C3W33 Bearing 2D drawings and 3D CAD  
 models

Category	Spherical Roller Bearings
Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight	6.08
EAN	7316576655005
Product Group	B04311
Internal Clearance	C3-Loose
Mounting Method	Adapter Mount
Rolling Element	Spherical Roller Bearing
Bore Profile	Tapered
Cage Material	Steel
Enclosure	Open
Number of Rows of Rollers	Double Row
Relubricatable	Yes
Withdrawal Sleeve	AHX3028 (Specify bore)
Withdrawal Nut	KM30
Inch - Metric	Metric
Long Description	140MM Tapered Bore; 210MM Outside Diameter; 53MM Width; C3-Loose Clearance; Adapter Mount; Double Row of Spherical Roller Bearings; Steel Cage Material; Open Enclosure; Relubricatable; Adapter Part Nu



## BEARING CORP.OF AMERICA

Other Features	Order adapter or withdrawal sleeve or nut separately. Others may be available
Category	Spherical Roller Bearing
UNSPSC	31171510
Harmonized Tariff Code	84823080
Noun	Bearing
Keyword String	Spherical
Manufacturer URL	<a href="http://www.skf.com">http://www.skf.com</a>
Weight / LBS	13.391
d	5.512 Inch   140 Millimeter
B	2.087 Inch   53 Millimeter
Adapter Part Number	SNW3028 H3028 HA3028 HE3028 (Specify Bore) Inch   H3028 (Specify bore) Millimeter
D	8.268 Inch   210 Millimeter
bore diameter:	140 mm
maximum rpm:	3400 RPM
outside diameter:	210 mm
operating temperature range:	Maximum of +390 ° F
overall width:	53 mm
cage material:	Steel
bore type:	Tapered 1:12
bearing material:	Steel
outer ring type:	Not Split
cage type:	Inner Ring Guided
internal clearance:	C3
precision rating:	Not Rated
closure type:	Open
finish/coating:	Uncoated
lubrication hole type:	Lubrication Groove & Hole



## BEARING CORP.OF AMERICA

outer ring width:	53 mm
dynamic load capacity:	465 kN
fillet radius:	2 mm
static load capacity:	680 kN
series:	230